

**FE\*\*E-RLA****32"/43"/55"/65"/75"/85"****700nits Android SoC Non-touch Free Standing**

## Key Feature

- FHD Resolution
- 700nits
- Android Soc
- Tempered glass protection
- Easy maintenance
- Built-In Speaker

Specification

| Display                  |                   |          |          |           |          |          |
|--------------------------|-------------------|----------|----------|-----------|----------|----------|
| Model                    | FE32-RLA          | FE43-RLA | FE55-RLA | FE65-RLA  | FE75-RLA | FE85-RLA |
| Screen Size (Diagonal)   | 32 inch           | 43 inch  | 55 inch  | 65 inch   | 75 inch  | 85 inch  |
| LCD Tech.                | ADS               |          |          |           |          |          |
| Native Resolution        | 1920x1080         |          |          | 3840x2160 |          |          |
| Aspect Ratio             | 16: 9             |          |          |           |          |          |
| Brightness               | 700 cd/m²         |          |          |           |          |          |
| Contrast                 | 1200:1            |          |          |           |          |          |
| View Angle               | 178°(H) / 178°(V) |          |          |           |          |          |
| Display Color            | 16.7M(8bits-true) |          |          |           |          |          |
| Response Time            | 8ms               |          |          |           |          |          |
| Life Time (Light Source) | 60,000 Hrs        |          |          |           |          |          |

| Internal Player  |                           |
|------------------|---------------------------|
| O/S              | Android 9.0               |
| CPU              | RK 3288,Cortex-A17@1.6GHz |
| RAM/ROM          | 2GB / 8GB                 |
| Input            | 2xUSB / 1xHDMI / 1xRJ45   |
| Networks         | LAN / WIFI / Bluetooth    |
| Built-In Speaker | 2 × 5W (8Ω)               |

| Power             |                     |          |          |          |          |          |
|-------------------|---------------------|----------|----------|----------|----------|----------|
| Model             | FE32-RLA            | FE43-RLA | FE55-RLA | FE65-RLA | FE75-RLA | FE85-RLA |
| Power supply      | AC 100~240V 50/60Hz |          |          |          |          |          |
| Power consumption | ≤ 60W               | ≤ 80W    | ≤ 120W   | ≤ 150W   | ≤ 200W   | ≤ 280W   |


| Environment           |            |
|-----------------------|------------|
| Operation temperature | 0°C~50°C   |
| Operation humidity    | 20%~80% RH |

# Specification

| Physical                                      |                         |                          |                        |
|-----------------------------------------------|-------------------------|--------------------------|------------------------|
| Model                                         | FE32-RLA                | FE43-RLA                 | FE55-RLA               |
| Color                                         | White/Black             |                          |                        |
| Tempered Glass                                | Yes                     |                          |                        |
| Body Dimension w/o Stand (H) x(V) x (D) (mm)  | 460.8 x 1640.02 x 66.28 | 592.83 x 1750.31 x 66.28 | 747.1 x 1900.3 x 66.28 |
| Body Dimension with Stand (H) x(V) x (D) (mm) | 479.2x 1700.02 x 450    | 610.6 x 1810.31 x 450    | 784 x 1960.3 x 450     |
| Set Weight(kg)                                | 30                      | 45                       | 56                     |
| Package Dimension (H) x(V) x (D) (mm)         | 610 x 1810 x 220        | 740 x 1890 x 220         | 905x 2065 x 220        |
| Package Weight(kg)                            | 32                      | 47                       | 58                     |

## Dimension Drawing


### FE32-RLA




# Specification

## Dimension Drawing

### FE43-RLA



### FE55-RLA




# Specification

| Physical                                       |                   |                        |                        |
|------------------------------------------------|-------------------|------------------------|------------------------|
| Model                                          | FE65-RLA          | FE75-RLA               | FE85-RLA               |
| Color                                          | White/Black       |                        |                        |
| Tempered Glass                                 | Yes               |                        |                        |
| Body Dimension w/o Stand (H) x (V) x (D) (mm)  | 875x 1940 x 69.3  | 1004.9x 1940.1 x 103.5 | 1154.1x 1940.1 x 103.5 |
| Body Dimension with Stand (H) x (V) x (D) (mm) | 886.4x 2000 x 450 | 1005x 2000.1 x 700     | 1154.2x 2000.1 x 700   |
| Set Weight(kg)                                 | 73                | 88                     | 102                    |
| Package Dimension (H) x (V) x (D) (mm)         | 1015x 2100 x 220  | 1125x 2120 x 225       | 1275x 2220 x 225       |
| Package Weight(kg)                             | 76                | 92                     | 106                    |

## Dimension Drawing


### FE65-RLA



# Specification

## Dimension Drawing

### FE75-RLA



### FE85-RLA

