

SVR-CBHA01****32"/43"/55"/65"****1000nits Android SoC Digital Signage**

Key Feature

- UHD Resolution (for 55" / 65")
- 1000nits
- 7 × 24 Operation
- Android 11.0
- Cortex-A55x4 2.0GHz
- Super slim bezel design
- Landscape & Portrait Installation support
- VESA Mounting Interface

Specification

Model	SV32R-CBHA01	SV43R-CBHA01	SV55R-CBHA01	SV65R-CBHA01
Display				
Screen Size (Diagonal)	32 inch	43 inch	55 inch	65 inch
Native Resolution	1920 (H) × 1080 (V)		3840 (H) × 2160 (V)	
Aspect Ratio	16 : 9			
Brightness	1000 nit (Typ.)			
Contrast	≥ 1200:1		≥ 6000:1	≥ 6500:1
View Angle	178°(H) / 178°(V)			
Display Color	16.7M			
Response Time	8ms			
Operation Time	7 × 24H			
Life Time (Light Source)	30,000 Hrs (Typ.)			

Interface	
Input	
Output	HDMI × 1 / Earphone × 1 (TBD)
External Control	
Network	WIFI/LAN
Others	USB OTG × 1 / USB HOST × 1 / TFSlot × 1 (TBD)

Internal Player				
CPU	Cortex-A55x4 2.0GHz			
RAM	2G			
Flash	16G			
OS	Android 11.0			

Power				
POWER SUPPLY	AC:90V ~ 240V (50/60)HZ			
POWER CONSUMPTION	≤90W	≤115 W	≤210W	≤250 W

Environment				
Operation Temperature	0°C~50°C			
Storage Temperature	-20°C~60°C			

Specification

Model SV32R-CBHA01 SV43R-CBHA01 SV55R-CBHA01 SV65R-CBHA01


Physical

Off bezel(mm)	7.5			
Net weight(N.W.)	7.2KG	11.5KG	18.2KG	28KG
Gross Weight	11KG	14KG	22.5KG	33KG
Body Dimension (W×H×D, mm)	715*412**64	958*548*64	1227*700**64	1446*822**64
Package Dimension (W×H×D, mm)	810*520*175	1045*645*175	1320*800*175	1540*920*175
VESA Mounting	200*200	400*200	400*200	400*400


Dimension Drawing

SV32R-CBHA01

Unit: mm



SV43R-CBHA01




Specification

Dimension Drawing

SV55R-CBHA01

Unit: mm



SV65R-CBHA01

